Contents to volume 336

Hypothesis

A dynamical model for post-translational modifications of microtubules (FEBS 13398) *M. Laurent, A. Fleury* 1

Research Letters

Induction of stathmin mRNA during liver regeneration (FEBS 13363) *T. Okazaki, T. Himi, C. Peterson, N. Mori* 8

On the two iron centers of desulfoferrodoxin (FEBS 13361) *M.F.J.M. Verhagen, W.G.B. Voorhorst, J.A. Kolkman, R.B.G. Wolbert, W.R. Hagen* 13

The reaction of GroEL (cpn 60) with the ATP analogue 2′,3′-dialdehyde ATP (FEBS 13362) *G.J. Thomson, J.R. Coggins, N.C. Price* 19

Histone acetylation and gene induction in human cells (FEBS 13364) *A.L. Clayton, T.R. Hebbes, A.W. Thorne, C. Crane-Robinson* 23

Structure and organization of the gene encoding a mouse mitochondrial stress-70 protein (FEBS 13365) *Y. Michikawa, T. Baba, Y. Arai, T. Sakakura, M. Kusakabe* 27

Proteasome and cell cycle: Evidence for a regulatory role of the protease on mitotic cyclins in yeast (FEBS 13366) *B. Richter-Ruoff, D.H. Wolf* 34

Okadaic acid-sensitive protein phosphatases dephosphorylate MARCKS, a major protein kinase C substrate (FEBS 13367) *P.R. Clarke, S.R. Siddhanti, P. Cohen, P.J. Blackshear* 37

A mutation causing constitutive synthesis of the pyruvate dehydrogenase complex in *Escherichia coli* is located within the *pdhR* gene (FEBS 13368) *D.J. Haydon, M.A. Quail, J.R. Guest* 43

The mechanism of Ba^{2+}-induced exocytosis from single chromaffin cells (FEBS 13370) *L. von Rüden, A.G. García, M.G. López* 48

Production of disulfide-linked hirudin dimer by in vitro folding (FEBS 13307) *J.-Y. Chang, H. Grossenbacher, B. Meyhack, W. Maerki* 53

A role for central A_3-adenosine receptors: Mediation of behavioral depressant effects (FEBS 13369) *K.A. Jacobson, O. Nikodijević, D. Shi, C. Gallo-Rodriguez, M.E. Olah, G.L. Stiles, J.W. Daly* 57

Dipeptidyl peptidase IV (CD 26) and aminopeptidase N (CD 13) catalyzed hydrolysis of cytokines and peptides with N-terminal cytokine sequences (FEBS 13371) *T. Hoffmann, J. Faust, K. Neubert, S. Ansorge* 61

Proprotein processing activity and cleavage site selectivity of the Kex2-like endoprotease PACE4 (FEBS 13372) *J.W.M. Creemers, P.J.G. Kormelink, A.J.M. Roebroek, K. Nakayama, W.J.M.V. de Ven* 65

Region-specific expression of multiple lactase-phlorizin hydrolase genes in intestine of rabbit (FEBS 13373) *M. Villa, D. Brunschwiler, T. Gächter, W. Boll, G. Semenza, N. Mantei* 70

Cytochrome *d* induction in *Escherichia coli* growing under unfavorable conditions (FEBS 13374) *A.V. Bogachev, R.A. Murtazina, V.P. Skulachev* 75

Primary structure of *cryX*, the novel δ-endotoxin-related gene from *Bacillus thuringiensis* spp. *galleriae (FEBS 13375) A.B. Shevelev, M.A. Svarinsky, A.I. Karasin, Y. Kogan, G.G. Chestukhina, V.M. Stepanov* 79

Catalytic and activating protons follow different pathways in the H^+-ATPase of potato tuber mitochondria (FEBS 13377) *M. Valerio, F. Haraux* 83

Effects of amino-terminus truncation in human cytochrome P450IID6 on its insertion into the endoplasmic reticulum membrane of *Saccharomyces cerevisiae* (FEBS 13376) *E.Y. Krynetsky, V.L. Drutsa, I.E. Kovaleva, V.N. Luzikov, V.Y. Uvarov* 87

A threshold membrane potential accounts for controversial effects of fatty acids on mitochondrial oxidative phosphorylation (FEBS 13378) *D. Köhnke, B. Ludwig, B. Kadenbach* 90

Subunit III of the chloroplast ATP-synthase can form a Ca^{2+}-binding site on the lumenal side of the thylakoid membrane (FEBS 13379) *S.D. Zakharov, R.G. Ewy, R.A. Dilley* 95

Comparison of properties of mistletoe lectin I A-chain and ricin B-Chain conjugate with native toxins (FEBS 13380) *A.G. Tonevitsky, A.Y. Toptygin, A.T. Shamshiev, I.I. Agapov, E.V. Ershova, U. Pfuller, K. Pfuller* 100

Solubilisation partial characterisation of the α-MSH receptor on primary rat Schwann cells (FEBS 13384) *J.K. Dyer, A.R.H. Ahmed, G.W.J. Oliver, C.W. Poulton, L.W. Haynes* 103

The *HOX* complex neighbored by the *EVX* gene, as well as two other homeobox-containing genes, the *GBX*-class and the *EN*-class, are located on the same chromosomes 2 and 7 in humans (FEBS 13385) *T. Matsui, M. Hirai, M. Hirano, Y. Kurosawa* 107

Role of the C-terminal domain of the lysozyme of *Clostridium acetobutylicum* ATCC 824 in a chimeric pneumococcal–clostridial cell wall lytic enzyme (FEBS 13386) *C. Croux, C. Ronda, R. López, J.L. García* 111

Carcinogens stimulate phosphorylation of ethanolamine derived from increased hydrolysis of phosphatidylethanolamine in $C_3H/101/2$ fibroblasts (FEBS 13387) *Z. Kiss, K.S. Crilly, W.H. Anderson* 115

Inhibition of PDGF BB stimulated DNA synthesis in rat aortic vascular smooth muscle cells by the expression of a truncated PDGFβ receptor (FEBS 13388) *P.R. Kemp, Y. Shachar-Hill, P.L. Weissberg, J.C. Metcalfe* 119

DnaK ATPase activity revisited (FEBS 13389) *D.R. Palleros, K.L. Reid, L. Shi, A.L. Fink* 124

Synthesis and farnesylation of a-factor fusion proteins in *Saccharomyces cerevisiae* (FEBS 13390) *R. Kölling, B. Böttner, C.P. Hollenberg* 129

Structural and functional characterisation of recombinant human erythropoietin analogues (FEBS 13392) *T. Bittorf, R. Jaster, J. Brock* 133

Modulation of mammalian cell proliferation by a modified tRNA base of bacterial origin (FEBS 13393) *W. Langgut, T. Reisser, S. Nishimura, H. Kersten* 137

The MAP kinase-activated protein kinase 2 contains a proline-rich SH3-binding domain (FEBS 13391) *K. Engel, K. Plath, M. Gaestel* 143

Crystallization and crystallographic investigations of ribonucleotide reductase protein R1 from *Escherichia coli* (FEBS 13394) *U. Uhlin, T. Uhlin, H. Eklund* 148

Volume-regulatory taurine release from a human lung cancer cell line: Evidence for amino acid transport via a volume-activated chloride channel (FEBS 13395) *K. Kirk, J. Kirk* 153

Function of saposin C in the reconstitution of glucosylceramidase by phosphatidylserine liposomes (FEBS 13397) *A.M. Vaccaro, M. Tatti, F. Ciaffoni, R. Salvioli, B. Maras, A. Barca* 159

High-level expression of functional cGMP-dependent protein kinase using the baculovirus system (FEBS 13400) *R. Feil, S. Müller, F. Hofmann* 163

Contents to volume 336

Hypothesis

A dynamical model for post-translational modifications of microtubules (FEBS 13398) *M. Laurent, A. Fleury* 1

Research Letters

Induction of stathmin mRNA during liver regeneration (FEBS 13363) *T. Okazaki, T. Himi, C. Peterson, N. Mori* 8

On the two iron centers of desulfoferrodoxin (FEBS 13361) *M.F.J.M. Verhagen, W.G.B. Voorhorst, J.A. Kolkman, R.B.G. Wolbert, W.R. Hagen* 13

The reaction of GroEL (cpn 60) with the ATP analogue 2′,3′-dialdehyde ATP (FEBS 13362) *G.J. Thomson, J.R. Coggins, N.C. Price* 19

Histone acetylation and gene induction in human cells (FEBS 13364) *A.L. Clayton, T.R. Hebbes, A.W. Thorne, C. Crane-Robinson* 23

Structure and organization of the gene encoding a mouse mitochondrial stress-70 protein (FEBS 13365) *Y. Michikawa, T. Baba, Y. Arai, T. Sakakura, M. Kusakabe* 27

Proteasome and cell cycle: Evidence for a regulatory role of the protease on mitotic cyclins in yeast (FEBS 13366) *B. Richter-Ruoff, D.H. Wolf* 34

Okadaic acid-sensitive protein phosphatases dephosphorylate MARCKS, a major protein kinase C substrate (FEBS 13367) *P.R. Clarke, S.R. Siddhanti, P. Cohen, P.J. Blackshear* 37

A mutation causing constitutive synthesis of the pyruvate dehydrogenase complex in *Escherichia coli* is located within the *pdhR* gene (FEBS 13368) *D.J. Haydon, M.A. Quail, J.R. Guest* 43

The mechanism of Ba^{2+}-induced exocytosis from single chromaffin cells (FEBS 13370) *L. von Rüden, A.G. García, M.G. López* 48

Production of disulfide-linked hirudin dimer by in vitro folding (FEBS 13307) *J.-Y. Chang, H. Grossenbacher, B. Meyhack, W. Maerki* 53

A role for central A_3-adenosine receptors: Mediation of behavioral depressant effects (FEBS 13369) *K.A. Jacobson, O. Nikodijević, D. Shi, C. Gallo-Rodriguez, M.E. Olah, G.L. Stiles, J.W. Daly* 57

Dipeptidyl peptidase IV (CD 26) and aminopeptidase N (CD 13) catalyzed hydrolysis of cytokines and peptides with N-terminal cytokine sequences (FEBS 13371) *T. Hoffmann, J. Faust, K. Neubert, S. Ansorge* 61

Proprotein processing activity and cleavage site selectivity of the Kex2-like endoprotease PACE4 (FEBS 13372) *J.W.M. Creemers, P.J.G. Kormelink, A.J.M. Roebroek, K. Nakayama, W.J.M.V. de Ven* 65

Region-specific expression of multiple lactase-phlorizin hydrolase genes in intestine of rabbit (FEBS 13373) *M. Villa, D. Brunschwiler, T. Gächter, W. Boll, G. Semenza, N. Mantei* 70

Cytochrome *d* induction in *Escherichia coli* growing under unfavorable conditions (FEBS 13374) *A.V. Bogachev, R.A. Murtazina, V.P. Skulachev* 75

Primary structure of *cryX*, the novel δ-endotoxin-related gene from *Bacillus thuringiensis* spp. *galleriae (FEBS 13375) A.B. Shevelev, M.A. Svarinsky, A.I. Karasin, Y. Kogan, G.G. Chestukhina, V.M. Stepanov* 79

Catalytic and activating protons follow different pathways in the H^+-ATPase of potato tuber mitochondria (FEBS 13377) *M. Valerio, F. Haraux* 83

Effects of amino-terminus truncation in human cytochrome P450IID6 on its insertion into the endoplasmic reticulum membrane of *Saccharomyces cerevisiae* (FEBS 13376) *E.Y. Krynetsky, V.L. Drutsa, I.E. Kovaleva, V.N. Luzikov, V.Y. Uvarov* 87

A threshold membrane potential accounts for controversial effects of fatty acids on mitochondrial oxidative phosphorylation (FEBS 13378) *D. Köhnke, B. Ludwig, B. Kadenbach* 90

Subunit III of the chloroplast ATP-synthase can form a Ca^{2+}-binding site on the lumenal side of the thylakoid membrane (FEBS 13379) *S.D. Zakharov, R.G. Ewy, R.A. Dilley* 95

Comparison of properties of mistletoe lectin I A-chain and ricin B-Chain conjugate with native toxins (FEBS 13380) *A.G. Tonevitsky, A.Y. Toptygin, A.T. Shamshiev, I.I. Agapov, E.V. Ershova, U. Pfuller, K. Pfuller* 100

Solubilisation partial characterisation of the α-MSH receptor on primary rat Schwann cells (FEBS 13384) *J.K. Dyer, A.R.H. Ahmed, G.W.J. Oliver, C.W. Poulton, L.W. Haynes* 103

The *HOX* complex neighbored by the *EVX* gene, as well as two other homeobox-containing genes, the *GBX*-class and the *EN*-class, are located on the same chromosomes 2 and 7 in humans (FEBS 13385) *T. Matsui, M. Hirai, M. Hirano, Y. Kurosawa* 107

Role of the C-terminal domain of the lysozyme of *Clostridium acetobutylicum* ATCC 824 in a chimeric pneumococcal–clostridial cell wall lytic enzyme (FEBS 13386) *C. Croux, C. Ronda, R. López, J.L. García* 111

Carcinogens stimulate phosphorylation of ethanolamine derived from increased hydrolysis of phosphatidylethanolamine in $C_3H/101/2$ fibroblasts (FEBS 13387) *Z. Kiss, K.S. Crilly, W.H. Anderson* 115

Inhibition of PDGF BB stimulated DNA synthesis in rat aortic vascular smooth muscle cells by the expression of a truncated PDGFβ receptor (FEBS 13388) *P.R. Kemp, Y. Shachar-Hill, P.L. Weissberg, J.C. Metcalfe* 119

DnaK ATPase activity revisited (FEBS 13389) *D.R. Palleros, K.L. Reid, L. Shi, A.L. Fink* 124

Synthesis and farnesylation of a-factor fusion proteins in *Saccharomyces cerevisiae* (FEBS 13390) *R. Kölling, B. Böttner, C.P. Hollenberg* 129

Structural and functional characterisation of recombinant human erythropoietin analogues (FEBS 13392) *T. Bittorf, R. Jaster, J. Brock* 133

Modulation of mammalian cell proliferation by a modified tRNA base of bacterial origin (FEBS 13393) *W. Langgut, T. Reisser, S. Nishimura, H. Kersten* 137

The MAP kinase-activated protein kinase 2 contains a proline-rich SH3-binding domain (FEBS 13391) *K. Engel, K. Plath, M. Gaestel* 143

Crystallization and crystallographic investigations of ribonucleotide reductase protein R1 from *Escherichia coli* (FEBS 13394) *U. Uhlin, T. Uhlin, H. Eklund* 148

Volume-regulatory taurine release from a human lung cancer cell line: Evidence for amino acid transport via a volume-activated chloride channel (FEBS 13395) *K. Kirk, J. Kirk* 153

Function of saposin C in the reconstitution of glucosylceramidase by phosphatidylserine liposomes (FEBS 13397) *A.M. Vaccaro, M. Tatti, F. Ciaffoni, R. Salvioli, B. Maras, A. Barca* 159

High-level expression of functional cGMP-dependent protein kinase using the baculovirus system (FEBS 13400) *R. Feil, S. Müller, F. Hofmann* 163

Deletion of NH_2- and COOH-terminal sequences destroys function of the Ca^{2+} ATPase of rabbit fast-twitch skeletal muscle sarcoplasmic reticulum (FEBS 13402) *I.S. Skerjanc, D.M. Clarke, T.W. Loo, D.H. MacLennan* 168

mRNA amplification system by viral replicase in transgenic plants (FEBS 13403) *M. Mori, M. Kaido, T. Okuno, I. Furusawa* 171

Functional characterization of the catalytic site of the tetanus toxin light chain using permeabilized adrenal chromaffin cells (FEBS 13410) *B. Höhne-Zell, B. Stecher, M. Gratzl* 175

Electron microscopy of two-dimensional crystals of mitochondrial ATP synthase (FEBS 13405) *G.E. Dubachev, A.V. Lunev, A.N. Barnakov, G.I. Belogrudov, V.A. Grinkevich, V.V. Demin* 181

Commentary

The molecular basis of UV-induced mutagenicity of sunscreens (FEBS 13382) *F.P. Gasparro* 184

Commentary Response

Reply of Dr. Knowland to Gasparro's comment (FEBS 13383) *J.S. Knowland* 186

Meeting Report

The cancer cell, from the inside out (FEBS 13401) 187

Erratum 187

Research Letters

Protein kinase A modulates an endogenous calcium channel, but not the calcium-activated chloride channel, in *Xenopus* oocytes (FEBS 13396) *Y. Chen, J.D. Pollock, Y. Wang, A.A. DePaoli-Roach, L. Yu* 191

Thioredoxin reduction dependent on α-ketoacid oxidation by α-ketoacid dehydrogenase complexes (FEBS 13404) *V. Bunik, H. Follmann* 197

Adhesive interactions of neutrophils and leukotriene synthesis (FEBS 13407) *G.F. Sud'ina, S.I. Galkina, O.A. Barsky, L.B. Margolis* 201

Modulation of functional activities of the neurotoxin from black widow spider venom (FEBS 13406) *E.V. Grishin, N.H. Himmelreich, K.A. Pluzhnikov, N.G. Pozdnyakova, L.G. Storchak, T.M. Volkova, P.G. Woll* 205

SH-containing compounds as allosteric effectors of glyceraldehyde-3-phosphate dehydrogenase (FEBS 13408) *E.V. Kuzminskaya, R.A. Asryants, N.K. Nagradova* 208

Time-resolved study of tryptophan fluorescence in vesicle reconstituted cytochrome oxidase: Effect of redox transition (FEBS 13409) *T.K. Das, S. Mazumdar* 211

Interleukin 4 inhibits the production of some acute-phase proteins by human hepatocytes in primary culture (FEBS 13411) *P. Loyer, G. Ilyin, Z.A. Razzak, J. Banchereau, J.-F. Dezier, J.-P. Campion, C. Guguen-Guillouzo, A. Guillouzo* 215

Active increase in cardiolipin synthesis in the stationary growth phase and its physiological significance in *Escherichia coli* (FEBS 13412) *S. Hiraoka, H. Matsuzaki, I. Shibuya* 221

The unusual *rps3*-like orf712 is functionally essential and structurally conserved in *Chlamydomonas* (FEBS 13413) *X.-Q. Liu, C. Huang, H. Xu* 225

In vivo affinity label of a protein expressed in *Escherichia coli*: Coenzyme A occupied the AT(D)P binding site of the mutant F_1-ATPase β subunit (Y307C) through a disulfide bond (FEBS 13416) *M. Odaka, K. Kiribuchi, W.S. Allison, M. Yoshida* 231

Crystallization and preliminary X-ray analysis of leukemia inhibitory factor (FEBS 13419) *C. Betzel, M. Visanji, Z. Dauter, R. Fourme, W. Weber, U. Marnitz, T. Boone, J. Pope, J. Miller, N. Hawkins, B. Samal* 236

The vanadium chloroperoxidase from the fungus, *Curvularia inaequalis*: Evidence for the involvement of a histidine residue in the binding of vanadate (FEBS 13422) *J.W.P.M. van Schijndel, L.H. Simons, E.G.M. Vollenbroek, R. Wever.* 239

Timing of palmitoylation of influenza virus hemagglutinin (FEBS 13420) *M. Veit, M.F.G. Schmidt* 243

Chimeric Ca^{2+}-ATPase/Na^+,K^+-ATPase molecules: Their phosphoenzyme intermediates and sensitivity to Ca^{2+} and thapsigargin (FEBS 13424) *A. Nørregaard, B. Vilsen, J.P. Andersen* 248

Raf-1 is not a major upstream regulator of MAP kinases in rat fibroblasts (FEBS 13428) *S. Kizaka-Kondoh, H. Okayama* 255

ω-Agatoxin-IVA-sensitive calcium channels in bovine chromaffin cells (FEBS 13429) *A. Albillos, A.G. García, L. Gandía* 259

Key active site residues in the inhibition of acetylcholinesterases by soman (FEBS 13430) *N. Qian, I.M. Kovach* 263

Myo-inositol 1,3,4,5-tetrakisphosphate can independently mobilise intracellular calcium, via the inositol 1,4,5-trisphosphate receptor: studies with *myo*-inositol 1,4,5-trisphosphate-3-phosphorothioate and *myo*-inositol hexakisphosphate (FEBS 13431) *R.A. Wilcox, E.M. Whitham, C. Liu, B.V.L. Potter, S.R. Nahorski* 267

Retinal oxidase is identical to aldehyde oxidase (FEBS 13435) *S. Tomita, M. Tsujita, Y. Ichikawa* 272

Production of the Alzheimer's β-amyloid peptide by C6 glioma cells (FEBS 13414) *E. Morato, F. Mayor Jr.* 275

Demonstration of (Ca^{2+}-Mg^{2+})-ATPase activity of the neural cell adhesion molecule (FEBS 13436) *K. Dzhandzhugazyan, E. Bock* 279

Molecular cloning of a putative homolog of proline/arginine-rich antibacterial peptides from porcine bone marrow (FEBS 13415) *J. Pungerčar, B. Štrukelj, G. Kopitar, M. Renko, B. Lenarčič, F. Gubenšek, V. Turk* 284

Pig leukocyte cysteine proteinase inhibitor (PLCPI), a new member of the stefin family (FEBS 13443) *B. Lenarčič, A. Ritonja, I. Dolenc, V. Stoka, S. Berbič, J. Pungerčar, B. Štrukelj, V. Turk* 289

Different flexibility of the upstream regulatory regions of two differently expressed pea *rbcS* genes studied by theoretical evaluation of DNA distortion energy and cyclization kinetics (FEBS 13417) *S. Cacchione, P. De Santis, M. Savino* 293

Analysis of lactase processing in rabbit (FEBS 13441) *M. Rossi, L. Maiuri, V.M. Salvati, C. Russomanno, S. Auricchio* 299

Chloride-depletion of photosynthetic water oxidase: No proton release during the second oxidation step, $S_2^* \Rightarrow S_3^*$, and a transmembrane radical pair recombination from the third on (FEBS 13442) *K. Lübbers, W. Drevenstedt, W. Junge* 304

Human ferritin H-chains can be obtained in non-assembled stable forms which have ferroxidase activity (FEBS 13444) *S. Levi, P. Santambrogio, A. Albertini, P. Arosio* 309

Two Tcp-1-related but highly divergent gene families exist in oat encoding proteins of assumed chaperone function (FEBS 13447) *B. Ehmann, M. Krenz, E. Mummert, E. Schäfer* 313

Molecular cloning of a novel putative G protein-coupled receptor (GPCR21) which is expressed predominantly in mouse central nervous system (FEBS 13421) *Y. Saeki, S. Ueno, R. Mizuno, T. Nishimura, H. Fujimura, Y. Nagai, T. Yanagihara* 317

The role of calcium in the organization of fibrillin microfibrils (FEBS 13423) *C.M. Kielty, C.A. Shuttleworth* 323

Degradation of human apolipoprotein B-100 by apolipoprotein(a) (FEBS 13425) *T.M. Chulkova, V.V. Tertov* 327

PsaL subunit is required for the formation of photosystem I trimers in the cyanobacterium *Synechocystis* sp. PCC 6803 (FEBS 13426) *V.P. Chitnis, P.R. Chitnis* 330

Down-modulation of CD4 antigen during programmed cell death in U937 cells (FEBS 13427) *W. Malorni, R. Rivabene, M.T. Santini, S. Paradisi, F. Iosi, G. Donelli* 335

Identification of DNA binding proteins in vaccinia virus by DNA–protein crosslinking (FEBS 13433) *A.N. Chkheidze, G.G. Prikhod'ko, V.L. Karpov, S.K. Vassilenko, A.D. Mirzabekov* 340

Percoll purification of chromaffin granules inhibits their ability to take up and maintain calcium (FEBS 13437) *P.G. Jones, J. Meneses, D.M. Waisman* 343

The outer membrane of plant mitochondria contains a calcium-dependent protein kinase and multiple phosphoproteins (FEBS 13438) *C. Pical, K.M. Fredlund, P.X. Petit, M. Sommarin, I.M. Møller* 347

Participation of the $g = 1.9$ and $g = 1.82$ EPR forms of the semiquinone–iron complex, $Q_A^- \cdot Fe^{2+}$ of photosystem II in the generation of the Q and C thermoluminescence bands, respectively (FEBS 13440) *S. Demeter, C. Goussias, G. Bernát, L. Kovács, V. Petrouleas* 352

Similarity of primary radical pair recombination in photosystem II and bacterial reaction centers (FEBS 13439) *M. Volk, M. Gilbert, G. Rousseau, M. Richter, A. Ogrodnik, M.-E. Michel-Beyerle* 357

Truncated GroEL monomer has the ability to promote folding of rhodanese without GroES and ATP (FEBS 13448) *Y. Makino, H. Taguchi, M. Yoshida* 363

The structure of apo-calmodulin: A ^{1}H NMR examination of the carboxy-terminal domain (FEBS 13399) *B.E. Finn, T. Drakenberg, S. Forsén* 368

Molecular cloning, functional expression and localization of an inward rectifier potassium channel in the mouse brain (FEBS 13418) *K.-I. Morishige, N. Takahashi, I. Findlay, H. Koyama, J.S. Zanelli, C. Peterson, N.A. Jenkins, N.G. Copeland, N. Mori, Y. Kurachi* 375

Dramatic changes in control properties that accompany channelling and metabolite sequestration (FEBS 13432) *B.N. Kholodenko, M. Cascante, H.V. Westerhoff* 381

Artificially glycosylated α-chymotrypsin in reversed micelles of Aerosol OT in octane: A new approach to elucidation of the role of carbohydrate moieties in glycoproteins (FEBS 13434) *A.V. Levashov, R.V. Rariy, K. Martinek, N.L. Klyachko* 385

Flash-induced membrane potential generation by cytochrome *c* oxidase (FEBS 13445) *D. Zaslavsky, A.D. Kaulen, I.A. Smirnova, T. Vygodina, A.A. Konstantinov* 389

A novel, specific pro-urokinase complex on monocyte-like cells, detected by transglutaminase-catalyzed cross-linking (FEBS 13451) *N. Behrendt, E. Rønne, K. Danø* 394

Structural study of rat thyroid transcription factor 1 homeodomain (TTF-1 HD) by nuclear magnetic resonance (FEBS 13449) *P. Viglino, F. Fogolari, S. Formisano, N. Bortolotti, G. Damante, R. Di Lauro, G. Esposito* 397

Induction of cytoplasmic factors that bind to the 3′ AU-rich region of human interferon β mRNA during early development of *Xenopus laevis* (FEBS 13450) *G. Grafi, G. Galili* 403

Analysis of filamin and α-actinin binding to actin by the stopped flow method (FEBS 13453) *W.H. Goldmann, G. Isenberg* 408

Lack of DNA enzymatic photoreactivation in HeLa cell-free extracts (FEBS 13452) *C.C.-K. Chao* 411

Abnormal Alzheimer-like phosphorylation of tau-protein by cyclin-dependent kinases cdk2 and cdk5 (FEBS 13455) *K. Baumann, E.-M. Mandelkow, J. Biernat, H. Piwnica-Worms, E. Mandelkow* 417

Dephosphorylation of tau protein and Alzheimer paired helical filaments by calcineurin and phosphatase-2A (FEBS 13456) *G. Drewes, E.-M. Mandelkow, K. Baumann, J. Goris, W. Merlevede, E. Mandelkow* 425

Protein phosphatase 2A reverses inhibiton of inward rectifying K^+ currents by thyrotropin-releasing hormone in GH_3 pituitary cells (FEBS 13461) *F. Barros, G. Mieskes, D. del Camino, P. de la Peña* 433

ATMPKs: a gene family of plant MAP kinases in *Arabidopsis thaliana* (FEBS 13457) *T. Mizoguchi, N. Hayashida, K. Yamaguchi-Shinozaki, H. Kamada, K. Shinozaki* 440

Synchronous replication of SV 40 DNA in virus infected TC 7 cells induced by transient hypoxia (FEBS 13454) *T. Dreier, K.H. Scheidtmann, H. Probst* 445

Immobilizing DNA on gold via thiol modification for atomic force microscopy imaging in buffer solutions (FEBS 13488) *M. Hegner, P. Wagner, G. Semenza* 452

Relaxation study of the backbone dynamics of human profilin by two-dimensional ^{1}H-^{15}N NMR (FEBS 13446) *K.L. Constantine, M.S. Friedrichs, A.J. Bell, T.B. Lavoie, L. Mueller, W.J. Metzler* 457

cDNA cloning of rat proteasome subunit RC10-II, assumed to be responsible for trypsin-like catalytic activity (FEBS 13458) *C. Nishimura, T. Tamura, H. Akioka, F. Tokunaga, K. Tanaka, A. Ichihara* 462

Organisation of the chicken annexin V gene and its correlation with the tertiary structure of the protein (FEBS 13460) *E. Pfannmüller, J. Turnay, W. Bertling, K. von der Mark* 467

γ-Glutamylcysteinylglutamic acid – a new homologue of glutathione in maize seedlings exposed to cadmium (FEBS 13464) *P. Meuwly, P. Thibault, W.E. Rauser* 472

Effect of neutral and acidic phospholipids on mitochondrial ATP synthase secondary structure (FEBS 13462) *F.D. Sala, A. Loregian, G. Lippe, E. Bertoli, F. Tanfani* 477

Extended in vivo blood circulation time of fluorinated liposomes (FEBS 13463) *C. Santaella, F. Frézard, P. Vierling, J.G. Riess* 481

A new application for liposomes in cancer therapy: Immunoliposomes bearing enzymes (immuno-enzymosomes) for site-specific activation of prodrugs (FEBS 13466) *M.H. Vingerhoeds, H.J. Haisma, M. van Muijen, R.B.J. van de Rijt, D.J.A. Crommelin, G. Storm* 485

Selective interaction of valinomycin/K^+ with the cytochrome *bf* complex of chloroplasts: Synergistic effect with MOA stilbene on extent of cytochrome b_{563} reduction in continuous light (FEBS 13465) *C. Klughammer, U. Schreiber* 491

Brefeldin A blocks protein glycosylation and RNA replication of vesicular stomatitis virus (FEBS 13467) *A. Irurzun, L. Pérez, L. Carrasco* 496

Long-term regulation of pyruvate dehydrogenase kinase by high-fat feeding: Experiments in vivo and in cultured cardiomyocytes (FEBS 13469) *K.A. Orfali, L.G.D. Fryer, M.J. Holness, M.C. Sugden* 501

Conserved His^{VI-17} of the NK-1 receptor is involved in binding of non-peptide antagonists but not substance P (FEBS 13471) *S. Zoffmann, U. Gether, T.W. Schwartz* 506

Evidence for the existence of hyaluronectin-binding proteins in the plasma membranes (FEBS 13470) *S. Gupta, T.B. Deb, K. Datta* 511

Photosynthesis modulates the sign of phototaxis of wild-type *Chlamydomonas reinhardtii*: Effects of red background illumination and 3-(3′,4′-dichlorophenyl)-1,1-dimethylurea (FEBS 13473) *T. Takahashi, M. Watanabe* 516

Topology of Na,K-ATPase α subunit epitopes analyzed with oligopeptide-specific antibodies and double-labeling immunoelectron microscopy (FEBS 13472) *G. Ning, A.B. Maunsbach, Y.-J. Lee, J.V. Møller* 521

Mechanism of Na^+/H^+ exchange by *Escherichia coli* NhaA in reconstituted proteoliposomes (FEBS 13474) *P.A. Dibrov, D. Taglicht* 525

Calcium transport mediated by NhaA, a Na^+/H^+ antiporter from *Escherichia coli* (FEBS 13475) *P.A. Dibrov* 530

Modulation of the skeletal muscle sodium channel α-subunit by the β_1-subunit (FEBS 13476) *M. Wallner, L. Weigl, P. Meera, I. Lotan* 535

Importance of Arg-219 for correct biogenesis of α1 homooligomeric glycine receptors (FEBS 13482) *D. Langosch, A. Herbold, V. Schmieden, J. Borman, J. Kirsch* 540

The human sperm protein PH-20 has hyaluronidase activity (FEBS 13477) *M. Gmachl, S. Sagan, S. Ketter, G. Kreil* 545
Cyclin A-mediated inhibition of intra-Golgi transport requires $p34^{cdc2}$ (FEBS 13479) *D. Mackay, R. Kieckbusch, J. Adamczewski, G. Warren* 549
Purification of the complex of cathepsin L and the MHC class II-associated invariant chain fragment from human kidney (FEBS 13483) *T. Ogrinc, I. Dolenc, A. Ritonja, V. Turk* 555
Author index to volume 336 560
Contents to volume 336 566